



## Single-acting flow control valves Cetop 5

### FT 358/5


Single-acting flow control stackable valves Cetop5 available with controlled flow on A-B or double A+B ports, max. working pressure 320 bar, adjustable oil flow rate from 3 to 45 Lt./min.

**Cetop 5 valves - NG10**

**Flow control**

**Single-acting control (Meter-out)**

**Carbon steel**



## Technical information

### Technical description

Flow rate control valve, not compensated, for modular mounting with subplate surface according to ISO 4401-05, It permits a fine fluid regulation in one direction even with low flow rate, allowing free flow in the opposite direction. Single regulation available on A or B or double A+B. version with adjusting screw, equipped with locking nut, for flow rate regulation. flow rate 65L./min.

### Materials

|  |  |
|--|--|
| <b>CORPO VALVOLA / BODY VALVE</b>                  | <b>Acciaio/Steel 11 S Mn Pb 37-UNI EN 10087</b>                  |
| <b>CORPO CARTUCCIA / CARTRIDGE BODY</b>            | <b>Acciaio/Steel 11 S Mn Pb 37-UNI EN 10087</b>                  |
| <b>SPILO DI REGOLAZIONE / ADJUSTING NEEDLE</b>     | <b>Acciaio legato/Alloy Steel</b>                                |
| <b>GUARNIZIONI / GASKETS</b>                       | <b>Di serie NBR - A richiesta FPM/Standard NBR-on demand FPM</b> |
| <b>ANELLI ANTIESTRUSIONE / ANTIEXTRUSION RINGS</b> | <b>PTFE</b>  |
| <b>MANOPOLA TIPO MA / KNOB TYPE MA</b>             | <b>Alluminio/Aluminum GD AISi12- UNI EN AB 46100</b>             |





## Technical data


| TIPO / TYPE | PRESSIONE<br>ESERCIZIO BAR /<br>WORKING<br>PRESSURE BAR | TEMPERATURA<br>ESERCIZIO /<br>WORKING<br>TEMPERATURE | CLASSE DI<br>CONTAMINAZIONE<br>FLUIDO / FLUID<br>CONTAMINATION CLASS |
|-------------|---|--|--|
| A           | 320   | -20°C/+80°C  | ISO 4406 19/17/14  |
| AB          | 320   | -20°C/+80°C  | ISO 4406 19/17/14  |
| B           | 320   | -20°C/+80°C  | ISO 4406 19/17/14  |



## Dimensional tables and drawings









## Flow rate curves

